


A	CLASS	NOMINAL LENGTH						PERPENDICULARITY TOLERANCE	CLASS	NOMINAL LENGTH ON SHORTER SIDE			
		L ≤ 10	10 < L ≤ 30	30 < L ≤ 100	100 < L ≤ 300	300 < L ≤ 1000	1000 < L ≤ 3000			L ≤ 100	100 < L ≤ 300	300 < L ≤ 1000	1000 < L ≤ 3000
B	ANGLE TOLERANCE							CLASS					
		L ≤ 10	10 < L ≤ 50	50 < L ≤ 120	120 < L ≤ 400	400 < L	L ≤ 10		10 < L ≤ 50	50 < L ≤ 120	120 < L ≤ 400	400 < L	
C	STANDARD DIMENSION RANGE							CLASS					
		L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	L < 0.2		0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	
D	CHAMFER TOLERANCE							CLASS					
		L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	L < 0.2		0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	
E	STANDARD DIMENSION RANGE							CLASS					
		L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	L < 0.2		0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	
F	LENGTH TOLERANCE							CLASS					
		L < 0.2	0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	L < 0.2		0.2 ≤ L ≤ 0.5	0.5 < L ≤ 3	3 < L ≤ 6	6 < L	



FOCAL LENGTH : 60mm  
 Fno : 4 - 22

MARK	COM-REV	DATE(YMD)	CHANGE	SIGNATURE	FINISH	UNIT:mm	MORITEX Vision Creating Value
					BLACK ANODIZING		
DESIGNED	DRAWN	CHECKED	APPROVED	CHAMFER	SURFACE	MODEL NAME	OUTLINE DRAWING
					ALUMINUM ALLOY	ML-6040-67M39	
G.Ogawa	G.Ogawa	'20.11.27 茅野	'20.11.27 山中	TOLERANCE CLASS	DRAWING NO.	DRAWING NO.	SHEET
				SCALE	A23873A0100201A-001	A23873A0100201A-001	1/1